




PVC Tail Bag User Manual







*Please read this manual carefully before using this product to avoid improper use causing product damage.






Scan QR Code To Watch
The Installation Video

Accessories List



| Serial Number | Name | Diagram | Quantity | Remarks |
|---------------|---------------------------|---|----------|---------|
| ① | PVC Tail Bag |  | 1 pc | |
| ② | Shoulder Strap |  | 1 pc | |
| ③ | LOBOO Quick Release Strap |  | 2 pcs | |
| ④ | Information Card |  | 1 pc | |

Product Illustration






Tail Bag




1. Close the magnetic rolling mouth, and fold it down three times according to the width of the magnetic strip (IPX6 level waterproof performance).

2. During the folding process, if the bag is inflated, you can unscrew the air valve, and after folding three times, tighten the air valve.



Air Valve





3. The buckles on both ends of the rolling mouth are connected to the fixed buckles on the left and right sides of the bag body, and adjust the length of the webbing to tighten the webbing fixed lock buckle.



4. Rolling mouth fixed buckle: the rear middle buckle is connected with the front middle fixed buckle, and adjust the length of the webbing to tighten the webbing fixed lock buckle.




5. Put the hand-held webbing into the hand-held pad on the other side, and stick the Velcro.

6. Operation completed.

Shoulder Strap




Shoulder carry:
Connect the hook buckle of the shoulder strap to the D buckle on the side of the bag body




Fixation Method


LOBOO Quick Release Strap x 2





Fixation Method One (LOBOO Quick Release Strap Fixation)



1. On both sides of the motorcycle top case rack, use C to tie 4 fixed points respectively, as shown in the figure.





2. Connect LOBOO Quick Release Strap A with the quick release buckle of the bag body.



3. After tightening, adjust the length of the webbing storage strap and stick the Velcro.


4. Operation completed.

Fixation Method Two (LOBOO Quick Release Strap Fixation)



1. On both sides of the motorcycle top case rack, use C to tie 4 fixed points respectively, as shown in the figure.


2. Connect LOBOO Quick Release Strap A and B, pass through the double D buckle and directly tie the waterproof bag.



3. After tightening, adjust the length of the webbing storage strap and stick the Velcro.

4. Operation completed.

Fixation Method Three (Others Non-elastic Strap Fixation)



1. Pass through two D buckles from the bottom together, then separate the two D buckles, pull back the passed webbing, pass through the bottommost D buckle, and tighten the webbing.

2. Operation completed.

Precautions for Use

1. After each use, wipe off the stains on the surface of the waterproof bag with a soft damp cloth and soap (do not use bleach, fabric softener or other acidic and alkaline cleaners), do not machine wash, comfort ironing, dry cleaning and any form of drying, let it dry naturally, do not expose it to the sun for a long time.
2. When not in use for a long time, the waterproof bag should be placed in a dry and cool environment to avoid mildew causing damage to the waterproof bag; and regularly clean the dust and dirt on the surface of the waterproof bag to extend its service life.
3. Before going out, check the handle, shoulder strap and quick release strap of the waterproof bag to avoid aging affecting normal use. When using in harsh outdoor environments, do not use insect repellent on the surface of the waterproof bag. Please avoid sharp objects scratching the waterproof bag fabric during use to avoid affecting the waterproof performance.

Warranty Card



Please read this after-sales service guarantee card carefully. If you cannot accept it, please contact the dealer for return and exchange in time. Installation and use means acceptance of this after-sales service term.

After-sales Service Terms

1. One-year free warranty period, this product can enjoy free repair service within one year from the date of sale if there are quality problems under normal circumstances.
2. Limited warranty: After the one-year warranty period expires, LOBOO will provide paid warranty service, the cost is based on the actual replacement material cost, and no labor cost is charged separately.

Free warranty service does not include the following

1. No warranty card or cannot provide valid purchase proof.
2. Improper installation, use, man-made or accidental damage, self-disassembly, self-modification and repair, etc.

Return and Exchange Information

Platform ID: _____ Order Number: _____

Contact Name: _____ Contact Phone: _____


Return Address: _____

Description

Please keep this card properly and send it back with the product (copy is valid)



摩托车旅行防水包 (升级款) 说明书







*使用本产品前请仔细阅读本说明书，
以免使用不当造成产品损坏。






扫码观看安装
使用教程视频



产品配件清单

| 序号 | 名称 | 图例 | 数量 | 备注 |
|----|-----------|---|----|----|
| ① | 摩托车旅行防水包 |  | 1个 | |
| ② | 肩带 |  | 1条 | |
| ③ | LOBOO快拆绑带 |  | 2条 | |
| ④ | 信息卡 |  | 1张 | |

产品图示









1. 闭合磁吸卷口, 并按磁条宽度
往下卷折三次 (IPX6级防水性能)。

2. 卷折过程中, 如包内胀气,
可拧开放气阀, 并完成卷折
三次后, 拧紧放气阀。



放气阀





3. 卷口两头插扣分别与包身左侧、右侧固定插扣连接, 并调整织带长度紧固调节固定锁扣。



4. 卷口固定插扣: 后中插扣与前中固定插扣连接, 并调整织带长度紧固调节固定锁扣。




5. 将手提织带包入另一边的手提垫, 并粘合魔术贴。

6. 操作完成。


肩带使用说明




单肩背负：肩带勾扣与包身侧面的D字扣连接




LOBOO快拆绑带 x 2条




固定方式一(LOBOO快拆绑带固定)




1. 在摩托车尾架两边, 用C分别绑4个固定点, 如图。



2. LOBOO快拆绑带A与包身快拆插扣连接。




3. 绑紧后, 调整织带收纳带长度并粘合魔术贴。




4. 操作完成。


固定方式二(LOBOO快拆绑带固定)



1. 在摩托车尾架两边, 用C分别绑4个固定点, 如图。



2. 将LOBOO快拆绑带A和B连接起来, 穿过双D字扣直接捆绑防水包。




3. 绑紧后,调整织带收纳带长度并粘合魔术贴。



4. 操作完成。

固定方式三(其它无弹力绑带固定)



1. 从底部一起穿过两个D字扣,再把两个D字扣分开,将穿过的织带往回拉,穿过最底下的D字扣,收紧织带。



2. 安装完成。

使用注意事项

1. 每次使用完毕后用柔软的湿毛巾和肥皂(请勿使用漂白剂、柔顺剂或其他酸碱性清洁剂)擦拭去除防水包表面污渍,不可机洗、熨烫、干洗以及任何形式的烘干,让其自然风干,请勿置于阳光下长时间暴晒。
2. 长时间不使用时,防水包应放置在干燥、阴凉的环境中,避免发霉对防水包造成损坏;并定期清洁防水包表面的灰尘和污垢,延长使用寿命。
3. 出行前检查防水包的提带、肩带和快拆绑带,避免老化影响正常使用。户外恶劣环境使用时,不要在防水包表面使用防虫剂。使用时请避免尖锐物品划伤防水包面料,以免影响防水性能。

售后服务保障卡



请仔细阅读本售后服务保障卡，如不能接受，请及时联系经销商退换货，安装并使用即表示接受此售后服务条款。

售后服务条款

1. 1年免费保修期，此款产品自售出之日起1年内，在正常情况下出现质量问题可享受免费维修服务。
2. 有限保修：1年保修时间到期后，LOBOO将提供有偿保修服务，费用以实际更换材料费用为准，不另收取人工费用。

免费保修服务不包括以下内容

1. 无保修卡或不能提供有效购买凭证。
2. 安装、使用不当、人为或意外损坏、自行拆解、自行改装和维修等。

退换货信息

平台ID: _____ 订单编号: _____

联系人姓名: _____ 联系人电话: _____

回寄地址: _____

售后事项

请妥善保管好此卡并与产品一起寄回（复印件有效）

