











PIKE TRACKER Side Case Rack Installation Accessories List


Model: JP591B

Applicable Model: CFMOTO 450MT (2024-)

1  Quantity: 1 pc Left side rack	2  Quantity: 1 pc Right side rack	3  Quantity: 1 pc Connection bar	4  Quantity: 2 pcs Outer diameter: 20mm Inner diameter: 8.5mm Height: 45mm	5  Quantity: 2 pcs Outer diameter: 20mm Inner diameter: 8.5mm Height: 42mm	6  Quantity: 1 pc Outer diameter: 25mm Inner diameter: 8.5mm Height: 4mm
7  Quantity: 2 pcs M8×20 Torque: 20N·m	8  Quantity: 2 pcs M8×60 Torque: 20N·m	9  Quantity: 2 pcs M8×65 Torque: 20N·m	10  Quantity: 6 pcs M8 Gasket	11  Quantity: 1 pc Screw glue	

Note:


1. Please read the user manual carefully before Installation.
2. When installing each component, do not fully tighten the screws initially. After all components are in place, apply an appropriate amount of thread locker and then tighten all screws. Be sure to follow the torque requirements for each screw (as detailed in the accessories list above).
3. Regularly inspect the fastening screws of all components.



Scan QR Code To Watch
The Installation Video

PIKE TRACKER Side Case Rack Installation Diagram

Applicable Model: CFMOTO 450MT (2024-)



Note:

1. Please read the user manual carefully before Installation.
2. When installing each component, do not fully tighten the screws initially.
After all components are in place, apply an appropriate amount of thread locker and then tighten all screws.
Be sure to follow the torque requirements for each screw (as detailed in the accessories list above).
3. Regularly inspect the fastening screws of all components.





PIKE TRACKER Side Case Rack Installation Instruction 1

Model: JP591B

Applicable Model: CFMOTO 450MT (2024-)

Remove the screws in the green circle.

Remove the screws in the green circle.



Adjust the left and right side rack hooks to the appropriate position, apply the appropriate amount of screw glue and tighten the screws (12N·m).

PIKE TRACKER Side Case Rack Installation Instruction 2

Model: JP591B

Applicable Model: CFMOTO 450MT (2024-)



Note:

1. Please read the user manual carefully before Installation.
2. When installing each component, do not fully tighten the screws initially. After all components are in place, apply an appropriate amount of thread locker and then tighten all screws. Be sure to follow the torque requirements for each screw (as detailed in the accessories list above).
3. Regularly inspect the fastening screws of all components.